



Ameron Victorian Series Poles



NOV

**From industrial
to municipal,
we have the
right pole for
your project.**



Contents

Victorian I Pole	4
Victorian II Pole	6
Victorian II-T Pole	8
Victorian III Pole	10
Victorian IV	12
Victorian V	14
Victorian VI	16
Victorian VII	18
Victorian VIII	20
Victorian IX	22
Victorian X	24

Durability with a classic touch.

Available in
base plate and
embedded styles.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and long-term durability
- Natural stone and terrazzo aggregates maintain a like new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM and PCI standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, pre-formulated and custom colors are available. The concrete shafts are lightly blasted to expose the texture and beauty of the natural stone. See separate Aggregates and Finishes sheet for details. We offer Amershield™, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface and aid in the removal of graffiti.

Victorian I Pole

Elegant and sleek, the simple design of this round tapered Victorian pole complements period architectural designs as well as contemporary surroundings

Our Victorian Series lighting poles combine the charm of yesterday with the technology of today. Available in a variety of configurations, colors and finishes, the Victorian series provides architects and designers with many creative options.




poleproducts@nov.com

Victorian I - Base plate style information


Catalog Number	Pole Height "A"	Base OD	Anchor Bolt	Bolt Circle	Base Plate (Sq)	Ultimate G.L. Moment	Pole Weight
VBR04.1	13'-1"	13"	3/4" x 24" x 4"	16"	14"	12,000 ft-lbs	625 lbs
VBR04.6	15'-1"	13"	3/4" x 24" x 4"	16"	14"	15,000 ft-lbs	675 lbs
VBR05.5	18'-0"	13"	3/4" x 24" x 4"	16"	14"	15,500 ft-lbs	710 lbs
VBR06.1	20'-0"	13"	3/4" x 24" x 4"	16"	14"	17,000 ft-lbs	825 lbs

Victorian I - Embedded style information


Catalog Number	Pole Height "A"	Base OD	Embedded Depth "B"	Overall Length "OL"	Ultimate G.L. Moment	Pole Weight
VER04	13'-1"	13"	4'-10"	17'-11"	12,000 ft-lbs	750 lbs
VER04.6	15'-1"	13"	4'-10"	19'-11"	15,000 ft-lbs	800 lbs
VER05.5	18'-0"	13"	4'-10"	22'-10"	15,500 ft-lbs	900 lbs
VER06.1	20'-0"	13"	4'-10"	24'-10"	17,000 ft-lbs	950 lbs




Shaft cross section detail



Slotted base plate prestressed to pole



Elevation
See recommended "capping detail"



- Specifications** - Use Centrecon specifications
- Colors and finishes** - See Centrecon color selection guide
- Luminaire mounting** - See mounting options section for more information
- Anti-graffiti and sealer** - Optional coatings are available for added protection



Durability with a classic touch.

Available in
base plate and
embedded styles.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and long-term durability
- Natural stone and terrazzo aggregates maintain a like new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM and PCI standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, pre-formulated and custom colors are available. The concrete shafts are lightly blasted to expose the texture and beauty of the natural stone. See separate Aggregates and Finishes sheet for details. We offer Amershield™, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface and aid in the removal of graffiti.

Victorian II Pole

The fluted Victorian pole features neoclassical detailing that complements many period architectural styles, yet blends easily with more modern surroundings. The slightly tapered shaft lends a graceful look to this elegant Victorian.

Our Victorian Series lighting poles combine the charm of yesterday with the technology of today. Available in a variety of configurations, colors and finishes, the Victorian series provides architects and designers with many creative options.





Victorian II - Base plate style information

Catalog Number	Pole Height "A"	Base OD	Anchor Bolt	Bolt Circle	Base Plate (Sq)	Ultimate G.L. Moment	Pole Weight
VBF03.1	10'-2"	13"	¾" x 24" x 4"	16"	14"	12,000 ft-lbs	350 lbs
VBF03.7*	12'-2"	13"	¾" x 24" x 4"	16"	14"	12,000 ft-lbs	375 lbs
VBF04.1	13'-5"	13"	¾" x 24" x 4"	16"	14"	12,000 ft-lbs	400 lbs
VBF04.7*	15'-5"	13"	¾" x 24" x 4"	16"	14"	15,000 ft-lbs	500 lbs
VBF04.8	15'-5"	13"	¾" x 24" x 4"	16"	14"	15,000 ft-lbs	500 lbs
VBF05.6	18'-4"	16"	¾" x 24" x 4"	19"	17"	15,000 ft-lbs	700 lbs
VBF06.2*	20'-4"	16"	¾" x 24" x 4"	19"	17"	17,000 ft-lbs	800 lbs


Victorian II - Embedded style information

Catalog Number	Pole Height "A"	Base OD	Embedded Depth "B"	Overall Length "OL"	Ultimate G.L. Moment	Pole Weight
VEF03	9'-10"	13"	3'-3"	13'-1"	12,000 ft-lbs	475 lbs
VEF03.6*	11'-10"	13"	3'-3"	15'-1"	12,000 ft-lbs	500 lbs
VEF04.0	13'-0"	13"	4'-3"	17'-3"	12,000 ft-lbs	575 lbs
VEF04.6*	15'-0"	13"	4'-3"	19'-3"	15,000 ft-lbs	725 lbs
VEF04.8	15'-0"	13"	4'-3"	19'-3"	15,000 ft-lbs	725 lbs
VEF05.5	18'-0"	16"	4'-11"	22'-11"	15,000 ft-lbs	760 lbs
VEF06.1*	20'-0"	16"	4'-11"	24'-11"	17,000 ft-lbs	860 lbs


*VEF03.6, VEF04.6, VEF06.1, VBF03.7, VBF04.7, and VBF06.2: Top 28" of pole is 5 1/8" round not fluted.



Shaft cross section detail



Slotted base plate prestressed to pole



See recommended "capping detail"

Specifications - Use Centrecon specifications

Colors and finishes - See Centrecon color selection guide

Luminaire mounting - See mounting options section for more information

Anti-graffiti and sealer - Optional coatings are available for added protection



**Durability with
a classic touch.**

**Available in
base plate and
embedded styles.**

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and long-term durability
- Natural stone and terrazzo aggregates maintain a like new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM and PCI standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, pre-formulated and custom colors are available. The concrete shafts are lightly blasted to expose the texture and beauty of the natural stone. See separate Aggregates and Finishes sheet for details. We offer Amershield™, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface and aid in the removal of graffiti.

Victorian II T Pole

The fluted Victorian pole features neoclassical detailing that complements many period architectural styles, yet blends easily with more modern surroundings. The slightly tapered shaft lends a graceful look to this elegant Victorian.

Our Victorian Series lighting poles combine the charm of yesterday with the technology of today. Available in a variety of configurations, colors and finishes, the Victorian Series provides architects and designers with many creative options.




poleproducts@nov.com

Victorian II T - Base plate style information


Catalog Number	Pole Height "A"	Top OD	Base OD	Anchor Bolt	Bolt Circle	Base Plate (Sq)	Ultimate G.L. Moment	Pole Weight
VBFX07.5	24'-6"	5 1/8"	16 1/2"	1" x 36" x 4"	20" - 21"	18"	24,300 ft-lbs	1,100 lbs
VBFX09.0	29'-6"	5 1/8"	16 1/2"	1" x 36" x 4"	20" - 21"	18"	28,200 ft-lbs	1,200 lbs

Victorian II T - Embedded style information


Catalog Number	Pole Height "A"	Top OD	Base OD	Embedded Depth "B"	Overall Length "OL"	Ultimate G.L. Moment	Pole Weight
VEFX07.5	24'-6"	5 1/8"	16 1/2"	4'-11"	29'-5"	24,300 ft-lbs	1,500 lbs
VEFX09.0	29'-6"	5 1/8"	16 1/2"	4'-11"	34'-5"	28,200 ft-lbs	1,700 lbs




Shaft cross section detail



Slotted base plate



Elevation
See recommended "capping detail"



Specifications - Use Centrecon specifications

Colors and finishes - See Centrecon color selection guide

Luminaire mounting - See mounting options section for more information

Anti-graffiti and sealer - Optional coatings are available for added protection



**Durability with
a classic touch.**

**Available in
base plate and
embedded styles.**

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and long-term durability
- Natural stone and terrazzo aggregates maintain a like new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM and PCI standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, pre-formulated and custom colors are available. The concrete shafts are lightly blasted to expose the texture and beauty of the natural stone. See separate Aggregates and Finishes sheet for details. We offer Amershield™, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface and aid in the removal of graffiti.

Victorian III Pole

Eight crisp, sharp flowing lines, a flared base and the tapered shaft are reminiscent of the gas lamp era. Victorian III works well with traditional and contemporary architectural designs.

Our Victorian Series lighting poles combine the charm of yesterday with the technology of today. Available in a variety of configurations, colors and finishes, the Victorian series provides architects and designers with many creative options.




poleproducts@nov.com

Victorian III - Base plate style information


Catalog Number	Pole Height "A"	Top OD	Base OD	Anchor Bolt	Bolt Circle	Base Plate (Sq)	Ultimate G.L. Moment	Pole Weight
VBO03.0	9'-10"	7½"	18"	¾" x 24" x 4"	21"	20"	22,500 ft-lbs	720 lbs
VBO03.7	12'-2"	7½"	18"	¾" x 24" x 4"	21"	20"	22,500 ft-lbs	875 lbs
VBO04.5	14'-9"	7½"	18"	¾" x 24" x 4"	21"	20"	22,500 ft-lbs	1,000 lbs
VBO04.8	1'-9"	6¾"	18"	¾" x 24" x 4"	21"	20"	22,500 ft-lbs	1,100 lbs
VBO05.5	18'-0"	6¾"	18"	¾" x 24" x 4"	21"	20"	22,500 ft-lbs	1,300 lbs
VBO06.3	20'-8"	6¾"	18"	¾" x 24" x 4"	21"	20"	22,500 ft-lbs	1,400 lbs
VBO09.0	29'-6"	5½"	18"	¾" x 24" x 4"	21"	20"	22,500 ft-lbs	1,850 lbs
VBOX10.5	34'-6"	5½"	18"	¾" x 24" x 4"	21"	20"	32,000 ft-lbs	2,200 lbs

Victorian III - Embedded style information


Catalog Number	Pole Height "A"	Top OD	Base OD	Embedded Depth "B"	Overall Length "OL"	Ultimate G.L. Moment	Pole Weight
VEO03.0	9'-10"	7½"	18"	5'-0"	14'-10"	22,500 ft-lbs	900 lbs.
VEO03.7	1'-2"	7½"	18"	5'-0"	17'-2"	22,500 ft-lbs	1,050 lbs.
VEO04.5	14'-9"	7½"	18"	5'-0"	19'-9"	22,500 ft-lbs	1,100 lbs.
VEO04.8	15'-9"	6¾"	18"	5'-0"	20'-9"	22,500 ft-lbs	1,200 lbs.
VEO05.5	18'-0"	6¾"	18"	5'-0"	23'-0"	22,500 ft-lbs	1,450 lbs.
VEO06.3	20'-8"	6¾"	18"	5'-0"	25'-8"	22,500 ft-lbs	1,500 lbs.
VEO09.0	29'-6"	5½"	18"	5'-0"	34'-6"	22,500 ft-lbs	2,000 lbs.
VEOX10.5	34'-6"	5½"	18"	5'-0"	39'-6"	32,000 ft-lbs	2,300 lbs.




Shaft cross section detail



Slotted base plate prestressed to pole



Elevation
See recommended "capping detail"



Specifications - Use Centrecon specifications

Colors and finishes - See Centrecon color selection guide

Luminaire mounting - See mounting options section for more information

Anti-graffiti and sealer - Optional coatings are available for added protection



Durability with a classic touch.

Available in
base plate and
embedded styles.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and long-term durability
- Natural stone and terrazzo aggregates maintain a like new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM and PCI standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, pre-formulated and custom colors are available. The concrete shafts are lightly blasted to expose the texture and beauty of the natural stone. See separate Aggregates and Finishes sheet for details. We offer Amershield™, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface and aid in the removal of graffiti.

Victorian IV Pole

This versatile Victorian pole has a slightly tapered, octagonal shaft and a sturdy step base. Equally appropriate for period architectural styles and more contemporary surroundings.

Our Victorian Series lighting poles combine the charm of yesterday with the technology of today. Available in a variety of configurations, colors and finishes, the Victorian Series provides architects and designers with many creative options.




Victorian IV - Base plate style information


Catalog Number	Pole Height "A"	Top OD	Base OD	Anchor Bolt	Bolt Circle	Base Plate (Sq)	Ultimate G.L. Moment	Pole Weight
VBS04.0	13'-4"	5 1/8"	14"	3/4" x 24" x 4"	17"	15"	12,000 ft-lbs	470 lbs.
VBS04.3	14'-4"	5 1/8"	14"	3/4" x 24" x 4"	17"	15"	12,000 ft-lbs	560 lbs.
VBS04.7	15'-10"	5 1/8"	14"	3/4" x 24" x 4"	17"	15"	15,000 ft-lbs	650 lbs.
VBS05.0	16'-10"	5 1/8"	14"	3/4" x 24" x 4"	17"	15"	15,000 ft-lbs	750 lbs.

Victorian IV - Embedded style information


Catalog Number	Pole Height "A"	Top OD	Base OD	Embedded Depth "B"	Overall Length "OL"	Ultimate G.L. Moment	Pole Weight
VES04.0	13'-0"	5 1/8"	14"	4'-4"	17'-4"	12,000 ft-lbs	625 lbs.
VES04.3	14'-0"	5 1/8"	14"	4'-4"	18'-4"	12,000 ft-lbs	700 lbs.
VES04.7	15'-6"	5 1/8"	14"	4'-4"	19'-10"	15,000 ft-lbs	750 lbs.
VES05.0	16'-6"	5 1/8"	14"	4'-4"	20'-10"	15,000 ft-lbs	800 lbs.




Shaft cross section detail



Base plate



Elevation
See recommended "capping detail"



Specifications - Use Centrecon specifications

Colors and finishes - See Centrecon color selection guide

Luminaire mounting - See mounting options section for more information

Anti-graffiti and sealer - Optional coatings are available for added protection



Durability with a classic touch.

Available in
base plate and
embedded styles.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and long-term durability
- Natural stone and terrazzo aggregates maintain a like new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM and PCI standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, pre-formulated and custom colors are available. The concrete shafts are lightly blasted to expose the texture and beauty of the natural stone. See separate Aggregates and Finishes sheet for details. We offer Amershield™, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface and aid in the removal of graffiti.

Victorian V Pole

Capturing the ambiance of a bygone era, this octagonal Victorian pole features a tapered shaft, sturdy cone-shaped base and flared top that accentuates a variety of luminaire designs. The pole is equally suited for period architectural styles and contemporary environments.

Our Victorian Series lighting poles combine the charm of yesterday with the technology of today. Available in a variety of configurations, colors and finishes, the Victorian series provides architects and designers with many creative options.



poleproducts@nov.com


Victorian V - Base plate style information

Catalog Number	Pole Height "A"	Base OD	Anchor Bolt	Bolt Circle	Base Plate (Sq)	Ultimate G.L. Moment	Pole Weight
VBM03.0	10'-0"	18"	3/4" x 24" x 4"	24"	20"	12,000 ft-lbs	600 lbs.
VBM04.0	13'-0"	18"	3/4" x 24" x 4"	24"	20"	12,000 ft-lbs	875 lbs.
VBM04.6	15'-0"	20"	3/4" x 24" x 4"	24"	20"	15,000 ft-lbs	975 lbs.


Victorian V - Embedded style information

Catalog Number	Pole Height "A"	Base OD	Embedded Depth "B"	Overall Length "OL"	Ultimate G.L. Moment	Pole Weight
VEM03.0	10'-0"	18"	4'-6"	14'-6"	12,000 ft-lbs	750 lbs.
VEM04.0	13'-0"	18"	4'-0"	17'-0"	12,000 ft-lbs	1,000 lbs.
VEM04.6	15'-0"	20"	4'-0"	19'-0"	15,000 ft-lbs	1,200 lbs.


Top OD across the flats




Shaft cross section detail



Slotted base plate prestressed to pole



Elevation
See recommended "capping detail"



Specifications - Use Centrecon specifications

Colors and finishes - See Centrecon color selection guide

Luminaire mounting - See mounting options section for more information

Anti-graffiti and sealer - Optional coatings are available for added protection



Durability with a classic touch.

Available in
base plate and
embedded styles.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and long-term durability
- Natural stone and terrazzo aggregates maintain a like new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM and PCI standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, pre-formulated and custom colors are available. The concrete shafts are lightly blasted to expose the texture and beauty of the natural stone. See separate Aggregates and Finishes sheet for details. We offer Amershield™, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface and aid in the removal of graffiti.

Victorian VI Pole

This versatile Victorian pole has a slightly tapered, octagonal shaft and an architectural detail step base. Appropriate for period architectural styles and more contemporary surroundings, this pole recaptures the ornamental designs of the turn of the century.

Our Victorian Series lighting poles combine the charm of yesterday with the technology of today. Available in a variety of configurations, colors and finishes, the Victorian Series provides architects and designers with many creative options.




Victorian VI - Base plate style information


Catalog Number	Pole Height "A"	Top OD	Base OD	Anchor Bolt	Bolt Circle	Base Plate (Sq)	Ultimate G.L. Moment	Pole Weight
VBK04	13'-4"	5 1/8"	14"	3/4" x 24" x 4"	17"	15"	12,000 ft-lbs	525 lbs.
VBK04.7	15'-10"	5 1/8"	14"	3/4" x 24" x 4"	17"	15"	14,000 ft-lbs	650 lbs.
VBK05	16'-10"	5 1/8"	14"	3/4" x 24" x 4"	17"	15"	15,000 ft-lbs	750 lbs.

Victorian VI - Embedded style information


Catalog Number	Pole Height "A"	Top OD	Base OD	Embedded Depth "B"	Overall Length "OL"	Ultimate G.L. Moment	Pole Weight
VEK04	13'-0"	5 1/8"	14"	4'-4"	17'-4"	12,000 ft-lbs	625 lbs.
VEK04.7	15'-6"	5 1/8"	14"	4'-4"	19'-10"	14,000 ft-lbs	750 lbs.
VEK05	16'-6"	5 1/8"	14"	4'-4"	20'-10"	15,000 ft-lbs	800 lbs.




Shaft cross section detail



Slotted base plate



Elevation
See recommended "capping detail"



Specifications - Use Centrecon specifications

Colors and finishes - See Centrecon color selection guide

Luminaire mounting - See mounting options section for more information

Anti-graffiti and sealer - Optional coatings are available for added protection



Durability with a classic touch.

Available in
base plate and
embedded styles.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and long-term durability
- Natural stone and terrazzo aggregates maintain a like new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM and PCI standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, pre-formulated and custom colors are available. The concrete shafts are lightly blasted to expose the texture and beauty of the natural stone. See separate Aggregates and Finishes sheet for details. We offer Amershield™, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface and aid in the removal of graffiti.

Victorian VII Pole

The fluted Victorian VII pole features a turn of the century design reminiscent of the gaslight era, and complements historical and contemporary architecture.

Our Victorian Series lighting poles combine the charm of yesterday with the technology of today. Available in a variety of configurations, colors and finishes, the Victorian Series provides architects and designers with many creative options.



Victorian VII - Base plate style information


Catalog Number	Pole Height "A"	Top OD	Base OD	Anchor Bolt	Bolt Circle	Base Plate (Sq)	Ultimate G.L. Moment	Pole Weight
VBG03.2	10'-4"	5 1/8"	9"	3/4" x 24" x 4"	11 1/2"	11"	15,000 ft·lbs	300 lbs.
VBG03.8	12'-4"	5 1/8"	9"	3/4" x 24" x 4"	11 1/2"	11"	15,000 ft·lbs	330 lbs.
VBG05	16'-4"	5 1/8"	9"	3/4" x 24" x 4"	11 1/2"	11"	15,000 ft·lbs	450 lbs.
VBGR05*	16'-4"	5 1/8"	9"	3/4" x 24" x 4"	11 1/2"	11"	15,000 ft·lbs	410 lbs.
VBGR06*	19'-7"	5 1/8"	9"	1" x 36" x 4"	11 1/2"	11"	15,000 ft·lbs	650 lbs.
VBGR07.5*	24'-7"	5 1/8"	9"	1" x 36" x 4"	11 1/2"	11"	15,000 ft·lbs	850 lbs.
VBGR09*	29'-6"	5 1/8"	9"	1" x 36" x 4"	11 1/2"	11"	15,000 ft·lbs	1,050 lbs.
VBGX09	29'-6"	5 1/8"	9"	1" x 36" x 4"	11 1/2"	11"	15,000 ft·lbs	1,100 lbs.

Victorian VII - Embedded style information


Catalog Number	Pole Height "A"	Top OD	Base OD	Embedded Depth "B"	Overall Length "OL"	Ultimate G.L. Moment	Pole Weight
VEG03.2	10'-4"	5 1/8"	9"	4'-6"	14'-10"	15,000 ft·lbs	490 lbs.
VEG03.8	12'-4"	5 1/8"	9"	4'-6"	16'-10"	15,000 ft·lbs	520 lbs.
VEG05	16'-4"	5 1/8"	9"	4'-6"	20'-10"	15,000 ft·lbs	700 lbs.
VEGR05*	16'-4"	5 1/8"	9"	4'-6"	20'-10"	15,000 ft·lbs	650 lbs.
VEGR06*	19'-7"	5 1/8"	9"	5'-3"	24'-10"	15,000 ft·lbs	750 lbs.
VEGR07.5*	24'-7"	5 1/8"	9"	5'-3"	29'-10"	15,000 ft·lbs	1,000 lbs.
VEGR09*	29'-6"	5 1/8"	9"	5'-3"	34'-9"	15,000 ft·lbs	1,300 lbs.
VEGX09	29'-6"	5 1/8"	9"	5'-3"	34'-9"	15,000 ft·lbs	1,400 lbs.

*VBGR & VEGR poles - upper shaft is round tapered, not fluted.


Top OD across the flats




Shaft cross section detail



Slotted base plate



Elevation
See recommended "capping detail"



Specifications - Use Centrecon specifications

Colors and finishes - See Centrecon color selection guide

Luminaire mounting - See mounting options section for more information

Anti-graffiti and sealer - Optional coatings are available for added protection



Durability with a classic touch.

Available in
base plate and
embedded styles.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and long-term durability
- Natural stone and terrazzo aggregates maintain a like new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM and PCI standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, pre-formulated and custom colors are available. The concrete shafts are lightly blasted to expose the texture and beauty of the natural stone. See separate Aggregates and Finishes sheet for details. We offer Amershield™, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface and aid in the removal of graffiti.

Victorian VIII Pole

This decorative base Victorian pole has a tapered octagonal shaft and a slender step base. Our Victorian VIII displays favorably in either a contemporary or a traditional environment.

Our Victorian Series lighting poles combine the charm of yesterday with the technology of today. Available in a variety of configurations, colors and finishes, the Victorian Series provides architects and designers with many creative options.




Victorian VIII - Base plate style information

Catalog Number	Pole Height "A"	Top OD	Base OD	Anchor Bolt	Bolt Circle	Base Plate (Sq)	Ultimate G.L. Moment	Pole Weight
VBJ03.8	12'-10"	5 1/8"	14"	3/4" x 24" x 4"	17"	14"	14,000 ft-lbs	630 lbs.


Victorian VIII - Embedded style information

Catalog Number	Pole Height "A"	Top OD	Base OD	Embedded Depth "B"	Overall Length "OL"	Ultimate G.L. Moment	Pole Weight
VEJ03.8	12'-6"	5 1/8"	14"	4'-8"	17'-2"	14,000 ft-lbs	740 lbs.


Top OD across the flats




Shaft cross section detail



Slotted base plate prestressed to pole



Elevation
See recommended "capping detail"



Specifications - Use Centrecon specifications

Colors and finishes - See Centrecon color selection guide

Luminaire mounting - See mounting options section for more information

Anti-graffiti and sealer - Optional coatings are available for added protection



Durability with a classic touch.

Available in
base plate and
embedded styles.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and long-term durability
- Natural stone and terrazzo aggregates maintain a like new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM and PCI standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, pre-formulated and custom colors are available. The concrete shafts are lightly blasted to expose the texture and beauty of the natural stone. See separate Aggregates and Finishes sheet for details. We offer Amershield™, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface and aid in the removal of graffiti.

Victorian IX Pole

This Victorian IX pole features turn of the century design reminiscent of the gaslight era that complements traditional and contemporary styles. The slightly tapered shaft incorporates aesthetic and architectural essence to this refined Victorian IX pole.

Our Victorian Series lighting poles combine the charm of yesterday with the technology of today. Available in a variety of configurations, colors and finishes, the Victorian Series provides architects and designers with many creative options.





Victorian IX - Base plate style information

Catalog Number	Pole Height "A"	Base OD	Anchor Bolt	Bolt Circle	Base Plate (Sq)	Ultimate G.L. Moment	Pole Weight
VBZ03.2	10'-7"	9"	¾" x 24" x 4"	11" - 12"	11½"	15,000 ft·lbs	300 lbs.
VBZ03.8	12'-7"	9"	¾" x 24" x "	11" - 12"	11½"	15,000 ft·lbs	330 lbs.
VBZ05	16'-7"	9"	¾" x 24" x 4"	11" - 12"	11½"	15,000 ft·lbs	450 lbs.
VBZR05*	16'-7"	9"	¾" x 24" x 4"	11" - 12"	11½"	15,000 ft·lbs	410 lbs.
VBZR06*	19'-7"	9"	1" x 36" x 4"	11" - 12"	11½"	22,500 ft·lbs	650 lbs.
VBZR07.5*	24'-7"	9"	1" x 36" x 4"	11" - 12"	11½"	22,500 ft·lbs	850 lbs.
VBZR09*	29'-6"	9"	1" x 36" x 4"	11" - 12"	11½"	22,500 ft·lbs	1,050 lbs.
VBZX09	29'-6"	9"	1" x 36" x 4"	11" - 12"	11½"	28,000 ft·lbs	1,100 lbs.

Victorian IX - Embedded style information

Catalog Number	Pole Height "A"	Base OD	Shaft OD	Embedded Depth "B"	Overall Length "OL"	Ultimate G.L. Moment	Pole Weight
VEZ03.2	10'-4"	9"	6.5"	4'-6"	14'-10"	15,000ft·lbs	490 lbs.
VEZ03.8	12'-4"	9"	6.5"	4'-6"	16'-10"	15,000 ft·lbs	520 lbs.
VEZ05	16'-4"	9"	6.5"	4'-6"	20'-10"	15,000 ft·lbs	700 lbs.
VEZR05*	16'-4"	9"	6.5"	4'-6"	20'-10"	15,000 ft·lbs	725 lbs.
VEZR06*	19'-7"	9"	8"	5'-3"	24'-10"	22,500 ft·lbs	800 lbs.
VEZR07.5*	24'-7"	9"	8"	5'-3"	29'-10"	22,500 ft·lbs	1,000 lbs.
VEZX09	29'-6"	9"	6"	5'-3"	34'-9"	22,500 ft·lbs	1,300 lbs.
VEZR09*	29'-6"	9"	8"	5'-3"	34'-9"	28,000 ft·lbs	1,400 lbs.

*VBZR & VEZR poles - upper shaft is round tapered



- Specifications** - Use Centrecon specifications
- Colors and finishes** - See Centrecon color selection guide
- Luminaire mounting** - See mounting options section for more information
- Anti-graffiti and sealer** - Optional coatings are available for added protection



Durability with a classic touch.

Available in
base plate and
embedded styles.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and long-term durability
- Natural stone and terrazzo aggregates maintain a like new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM and PCI standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, pre-formulated and custom colors are available. The concrete shafts are lightly blasted to expose the texture and beauty of the natural stone. See separate Aggregates and Finishes sheet for details. We offer Amershield™, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface and aid in the removal of graffiti.

Victorian X Pole

Eight crisp lines ascend and outline our classic Victorian X pole. The stately triple step base dramatically contours to an elegantly tapered octagonal shaft.

The Victorian X is available in a range of sizes from 17-foot to nearly 30-foot above grade. The Victorian X is well suited for bustling streetscapes, narrow walkways and everything in between. Our Victorian Style prestressed, spun-cast concrete lighting poles combine the charm of yesterday with today's technology.




Victorian X - Base plate style information

Catalog Number	Pole Height "A"	Base OD	Anchor Bolt	Bolt Circle	Base Plate (Sq)	Ultimate G.L. Moment	Pole Weight
VBD05.2	17'-0"	15¾"	¾" x 24" x 4"	19"	17"	26,700 ft·lbs	980 lbs.
VBD06.1	20'-0"	15¾"	¾" x 24" x 4"	19"	17"	26,700 ft·lbs	1050 lbs.
VBD07.5	24'-7"	15¾"	1" x 36" x 4"	19"	17"	30,900 ft·lbs	1200 lbs.
VBD09.0	29'-6"	15¾"	1" x 36" x 4"	19"	17"	30,900 ft·lbs	1470 lbs.


Victorian X - Embedded style information

Catalog Number	Pole Height "A"	Base OD	Embedded Depth "B"	Overall Length "OL"	Ultimate G.L. Moment	Pole Weight
VED05.2	17'-0"	15¾"	5'-0"	22'-0"	26,700 ft·lbs	1170 lbs.
VED06.1	20'-0"	15¾"	5'-0"	25'-0"	26,700 ft·lbs	1240 lbs.
VED07.5	24'-7"	15¾"	5'-0"	29'-7"	30,900 ft·lbs	1390 lbs.
VED09.0	29'-6"	15¾"	5'-0"	34'-6"	30,900 ft·lbs	1660 lbs.


6.3" top OD across the flats




Shaft cross section detail



Base plate prestressed to pole



Elevation See recommended "capping detail"



Specifications - Use Centrecon specifications

Colors and finishes - See Centrecon color selection guide

Luminaire mounting - See mounting options section for more information

Anti-graffiti and sealer - Optional coatings are available for added protection

A tall, ornate street lamp stands in a park-like setting with palm trees and people. A green trash bin is visible in the foreground.

We're ready to partner with you to provide the right solution for your environment.

National Oilwell Varco has produced this brochure for general information only, and it is not intended for design purposes. Although every effort has been made to maintain the accuracy and reliability of its content, National Oilwell Varco does not warrant the accuracy or completeness of any data or information contained herein. National Oilwell Varco in no way assumes responsibility for any claim or liability for any loss, damage or injury related to or arising from the use and/or interpretation of the data and information contained herein. The user retains full responsibility for all inferences drawn or decisions made in connection with any such information and data or interpretations of such information and data, and all applications for the material described are at the user's risk and are the user's responsibility.

©2019 National Oilwell Varco. All rights reserved.
Compass 000000 v1 | JIRA 2002

Corporate Headquarters
7909 Parkwood Circle Drive
Houston, Texas 77036
USA

Pole Products
1020 B Street
Fillmore,
CA 93015,
USA

Contact us
800.552.6376



poleproducts@nov.com

ameronpoles.com