Ameron

Contemporary Series 5B1 / 5B7 Octagonal Pole

Available in base plate style

Our Contemporary Series decorative base poles are ideal for street lighting, recreational areas, parking lots, walkways, and security lighting. Application can be post top or mast arm. Ameron poles are constructed with the highest quality materials and workmanship

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and durability.
- Natural stone and terrazzo aggregates maintain a like new appearance with virtually no maintenance.
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards.
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, pre-formulated and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate Aggregates and Finishes sheet for details. We offer Amerishield a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.

Durability with a classic touch.



Top O.D. across the flats

Base Plate Style - Information

Catalog Number	Pole Height "A"	Top O.D.	Base O.D.	Anchor Bolt	Bolt Circle	Base Plate (Sq)	Ultimate G.L. Moment (ft. lbs.)	Pole Weight (lbs.)
5B713	13'-1"	5"	16"	3/4" x 24" x 4"	19"	17"	10,600	560
5B716	16'-0"	4-5/8"	16"	3/4" x 24" x 4"	19-1/2"	17"	10,600	750
5B720	20'-8"	4"	16"	3/4" x 24" x 4"	19"	17"	10,600	900
5B119	19'-6"	6"	20"	1" x 36" x 4"	23"	21"	17,000	1,125
5B121	21'-0"	6"	20"	1" x 36" x 4"	23"	21"	18,400	1,270
5B122	22'-6"	6"	20"	1" x 36" x 4"	23"	21"	20,000	1,420
5B124	24'-0"	6"	20"	1" x 36" x 4"	23"	21"	21,200	1,440
5B126	26'-6"	6"	20"	1" x 36" x 4"	23"	21"	22,200	1,550
5B129	29'-0"	6"	20"	1" x 36" x 4"	23"	21"	25,400	1,700
5B131	31'-6"	6"	20"	1" x 36" x 4"	23"	21"	27,400	1,880

Specifications: Use Contemporary Specifications

Colors and finishes: See Contemporary Color Selection guide

Luminaire mounting: See technical-mounting options section for more information



